


6 IR LEDs Elevator Cam

High Resolution 520 TV Lines Vandal Resistant



ICD-E1111



Elevator Camera



Features


- 1/3" Super HAD CCD
- High resolution of 520TV Lines
- 2.97mm Fixed Lens
- Day & Night (6 IR LEDs)
- Min. Illumination of 0.0Lux
- DC 12V
- Easy Install
- IP 66 Housing(Vandal & Weather Resistant)
- Made in Korea

Technical Specifications

Model	ICD-E1111
Image Sensor	1/3" Sony Super HAD CCD
Horizontal Resolution	520 TV Lines
Total Pixels	811(H) x 508(V)
Effective Pixels	768(H) x 494(V)
Scanning System	2:1 Interlace
Frequency	Horizontal: 15.734KHz / Vertical: 59.94Hz
Video Output	1.0Vp-p Composite Signal (75ohm)
S/N (Y signal)	48dB (AGC OFF, Weight ON)
Electronic Shutter Speed	1/60s - 1/100,000s
Lens Mount	2.97mm Fixed Lens
Min Illumination	0.0Lux
AGC	ON
White Balance	ATW
Back Light(BLC)	ON
Operating temperature	-10°C~+50°C
Power	DC12V
Dimension (mm)	120(H) x 120(W) x 90(D)mm
Weight	Approx. 300g

Dimensions

Unit : mm



Ikegami

Alkegami Electronics (USA) Inc

Office: 37 Brook Ave., Maywood, NJ 07607

Tel. | 201-368-9171 / Fax | 201-569-1626

Web: www.ikegami.com E-MAIL: ruben@ikegami.com