


PCI – X High Performance Frame Grabber for Machine Vision

INSPECTA-SERIES

INSPECTA-5
High Performance Camera Link®
Frame Grabber

...for High-Speed Image
Processing and Machine
Vision Applications



Machine Vision • Industrial Inspection • Image Analysis

- Frame grabber for digital matrix or line scan cameras with "Base", "Medium", or "Full" Camera Link® interface
- Two 26-pin. connectors with full support of the Camera Link® – "Base", "Medium", and "Full" specification for video data, camera control and configuration with built-in serial interface
- Video data rate of up to 660 MB/second
- Up to 1 GB onboard memory for fast video streams
- Parallel grab to internal memory and to PC memory
- PCI-X bus interface for 64/32 Bit data width and 66/33 MHz clock frequency
- 528 MB/sec. maximum data rate on the PCI-X Bus
- Four optocoupled input-output ports for external trigger and encoder signals
- SDK for Windows® 2000/XP and drivers for HALCON
- LabVIEW support

Distributed by:



Imaging Division
Division of Computer Modules, Inc.
11409 West Bernardo Court, San Diego, CA 92127
Phone: (858) 613-1818 • Fax: (858) 613-1815
www.compmodules.com

Mikrotron GmbH
Landshuter Str. 20-22
D-85716 Unterschleissheim
Germany

Tel.: +49 (0) 89-72 63 42-00
Fax: +49 (0) 89-72 63 42-99
info@mikrotron.de
www.mikrotron.de



